

PURELL® Hand Sanitizer Gel

Version 1.2	Revision Date: 24.05.2016	MSDS Number: 37169-00002	Date of last issue: 10.02.2015 Date of first issue: 16.12.2014		
SECTION	SECTION 1. PRODUCT AND COMPANY IDENTIFICATION				
Produ	uct name	: PURELL® Ha	and Sanitizer Gel		
Manı	afacturer or supplier's	details			
Comp	bany	: GOJO Austra	lasia Pty Ltd		
Addre	ess	: Suite 14A, Ur Lakes Busine Botany NSW	ss Park, 2B Lord Street		
Telep	hone	: +612 9016 38	385		
Emergency telephone number		er : 1800 634 340	1800 634 340		
Reco	Recommended use of the chemical and restrictions on use				
Reco	mmended use	: Hand Sanitize	Pr		
Restr	ictions on use	sumers and c able use. Cos fined by regul requirement c not considere tion critical to for industrial tended expos retained and product. For s	onal care or cosmetic product that is safe for con- other users under normal and reasonably foresee- smetics and consumer products, specifically de- lations around the world, are exempt from the of an SDS for the consumer. While this material is ad hazardous, this SDS contains valuable informa- the safe handling and proper use of the product workplace conditions as well as unusual and unin- tures such as large spills. This SDS should be available for employees and other users of this specific intended-use guidance, please refer to the rovided on the package or instruction sheet.		

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Flammable liquids	: Category 3
Serious eye damage/eye irri- tation	: Category 2A
GHS Label element	
Hazard pictograms	
Signal word	: Warning
Hazard statements	 H226 Flammable liquid and vapour. H319 Causes serious eye irritation.
Precautionary statements	: Prevention: P210 Keep away from heat/sparks/open flames/hot surfaces.



Version	Revision Date: 24.05.2016	MSDS Number:	Date of last issue: 10.02.2015
1.2		37169-00002	Date of first issue: 16.12.2014
		P241 Use exp equipment. P242 Use only P243 Take pro P280 Wear pr tion/ face prote Response: P303 + P361 immediately a shower. P305 + P351 - for several mir easy to do. Co P337 + P313 I tention. Storage: P403 + P235 S Disposal:	 + P353 IF ON SKIN (or hair): Remove/ Take off Il contaminated clothing. Rinse skin with water/ + P338 IF IN EYES: Rinse cautiously with water nutes. Remove contact lenses, if present and ontinue rinsing. If eye irritation persists: Get medical advice/ at- Store in a well-ventilated place. Keep cool. of contents/ container to an approved waste

Other hazards which do not result in classification

Vapours may form explosive mixture with air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical Name	CAS-No.	Concentration (%)
Ethanol	64-17-5	>= 60 - <= 100
Propan-2-ol	67-63-0	< 10

SECTION 4. FIRST AID MEASURES

General advice	 In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	: Wash with water and soap as a precaution. Get medical attention if symptoms occur.
In case of eye contact	 In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.



Version 1.2	Revision Date: 24.05.2016	MSDS Number: 37169-00002	Date of last issue: 10.02.2015 Date of first issue: 16.12.2014
If swallowed		: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.	
Most important symptoms and effects, both acute and delayed		: Causes serious eye irritation.	
Protection of first-aiders		and use the re	onders should pay attention to self-protection, ecommended personal protective equipment ential for exposure exists.
Notes	s to physician	: Treat sympton	matically and supportively.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Dry chemical Carbon dioxide (CO2)
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire- fighting	:	Do not use a solid water stream as it may scatter and spread fire. Flash back possible over considerable distance. Vapours may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Carbon oxides
Specific extinguishing me- thods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.
Hazchem Code	:	•3Y

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	 Remove all sources of ignition. Use personal protective equipment. Follow safe handling advice and personal protective equipment recommendations.
Environmental precautions	: Discharge into the environment must be avoided.



Version 1.2	Revision Date: 24.05.2016	MSDS Number: 37169-00002	Date of last issue: 10.02.2015 Date of first issue: 16.12.2014
	ods and materials for ainment and cleaning up	 Prevent spreadir barriers). Retain and disport Local authorities cannot be contained Non-sparking too Soak up with ine Suppress (knock spray jet. For large spills, p ment to keep may be pumped, stor Clean up remain bent. Local or national posal of this matt employed in the mine which regu Sections 13 and 	

SECTION 7. HANDLING AND STORAGE

Technical measures :	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	Use with local exhaust ventilation. Use only in an area equipped with explosion proof exhaust ventilation.
Advice on safe handling	Avoid inhalation of vapour or mist. Do not swallow. Do not get in eyes. Avoid prolonged or repeated contact with skin. Handle in accordance with good industrial hygiene and safety practice. Non-sparking tools should be used. Keep container tightly closed. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures :	Ensure that eye flushing systems and safety showers are located close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.
Conditions for safe storage :	Keep in properly labelled containers. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations.



Version	Revision Date: 24.05.2016	MSDS Number:	Date of last issue: 10.02.2015
1.2		37169-00002	Date of first issue: 16.12.2014
Mate	rials to avoid	: Do not store wit Self-reactive su Organic peroxic Oxidizing agent Flammable gas Pyrophoric liqui Pyrophoric solic	s es ds ls ostances and mixtures

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Ethanol	64-17-5	TWA	1,000 ppm 1,880 mg/m3	AU OEL
		STEL	1,000 ppm	ACGIH
Propan-2-ol	67-63-0	TWA	400 ppm 983 mg/m3	AU OEL
		STEL	500 ppm 1,230 mg/m3	AU OEL
		TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
Propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of work- week	40 mg/l	ACGIH BEI
Engineering measures: Minimize workplace exposure concentrations. Use only in an area equipped with explosion proof exhaust ventilation. Use with local exhaust ventilation.						aust
Personal protective equipment						
Respiratory protection	VE	: Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.				strates
Filter type	: O	: Organic vapour type				
Hand protection						



PURELL® Hand Sanitizer Gel

Version 1.2	Revision Date: 24.05.2016	MSDS Number: 37169-00002	Date of last issue: 10.02.2015 Date of first issue: 16.12.2014
Mat	erial	: Impervious glov	es
Mat	erial	: Flame retardant	gloves
Ren	narks	on the concentra stance and spec determined for the applications, we chemicals of the	to protect hands against chemicals depending ation and quantity of the hazardous sub- cific to place of work. Breakthrough time is not the product. Change gloves often! For special recommend clarifying the resistance to aforementioned protective gloves with the urer. Wash hands before breaks and at the
Eye pr	otection	: Wear the following personal protective equipment: Safety goggles	
Skin a	nd body protection	resistance data potential. Wear the followi Flame retardant Skin contact mu	ate protective clothing based on chemical and an assessment of the local exposure ng personal protective equipment: antistatic protective clothing. st be avoided by using impervious protective aprons, boots, etc).

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: gel
Colour	: clear, Colorless to pale yellow
Odour	: alcohol-like
Odour Threshold	: No data available
рН	: 6.5 - 8.5
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: 23.7 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available



PURELL® Hand Sanitizer Gel

Version 1.2	Revision Date: 24.05.2016	MSDS Number: 37169-00002	Date of last issue: 10.02.2015 Date of first issue: 16.12.2014	
Rela	tive vapour density	: No data ava	ilable	
Den	sity	: 0.8810 g/cm3		
	bility(ies) /ater solubility	: soluble		
	ition coefficient: n- nol/water	: Not applicable		
Auto	-ignition temperature	: No data available		
Dec	omposition temperature	: The substance or mixture is not classified self-reactive.		
	osity iscosity, kinematic	: 3,500 - 23,000 mm2/s (20.00 °C)		
Expl	osive properties	: Not explosive		
Oxic	lizing properties	: The substance or mixture is not classified as oxidizing.		

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reac- tions	: Flammable liquid and vapour. Vapours may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Exposure routes	: Inhalation Skin contact Ingestion
	Eye contact

Acute toxicity

Not classified based on available information.

Components:

Ethanol: Acute oral toxicity

: LD50 (Rat): > 5,000 mg/kg



PURELL® Hand Sanitizer Gel

Version 1.2	Revision Date: 24.05.2016		SDS Number: 169-00002	Date of last issue: 10.02.2015 Date of first issue: 16.12.2014
Acute	e inhalation toxicity	:	LC50 (Rat): 124.7 Exposure time: 4 Test atmosphere	h
•	an-2-ol: e oral toxicity	:	LD50 (Rat): > 5,0	00 mg/kg
Acute	e inhalation toxicity	:	LC50 (Rat): 72.6 Exposure time: 4 Test atmosphere	h
Acute	e dermal toxicity	:	LD50 (Rat): > 5,0	00 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Result: No skin irritation

Components:

Ethanol: Species: Rabbit Method: OECD Test Guideline 404 Result: No skin irritation

Propan-2-ol:

Species: Rabbit Result: No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Ethanol: Species: Rabbit Result: Irritation to eyes, reversing within 21 days Method: OECD Test Guideline 405

Propan-2-ol:

Species: Rabbit Result: Irritation to eyes, reversing within 21 days

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Product:

Assessment: Does not cause skin sensitisation.

Components:

Ethanol: Test Type: Local lymph node assay (LLNA)



PURELL® Hand Sanitizer Gel

rsion	Revision Date: 24.05.2016	MSDS Number: 37169-00002	Date of last issue: 10.02.2015 Date of first issue: 16.12.2014
Specie	ure routes: Skin contac s: Mouse negative	rt	
Exposi Specie Method	n-2-ol: ype: Buehler Test ure routes: Skin contac s: Guinea pig d: OECD Test Guidelir negative		
Chron	ic toxicity		
	cell mutagenicity ssified based on avail	able information.	
	onents:		
Ethand Genoto	bl: oxicity in vitro	: Test Type: In vit Result: negative	ro mammalian cell gene mutation test
Genoto	oxicity in vivo	: Test Type: Rode Species: Mouse Application Rou Result: negative	te: Ingestion
Propa	n-2-ol:		
Genoto	oxicity in vitro	: Test Type: Bact Result: negative	erial reverse mutation assay (AMES)
Genoto	oxicity in vivo	cytogenetic assa Species: Mouse	te: Intraperitoneal injection

Not classified based on available information.

Components:

Propan-2-ol: Species: Rat Application Route: inhalation (vapour) Exposure time: 104 weeks Method: OECD Test Guideline 451 Result: negative

Reproductive toxicity

Not classified based on available information.

Components:

Ethanol: Effects on fertility

: Test Type: Two-generation reproduction toxicity study Species: Mouse



Version 1.2	Revision Date: 24.05.2016	MSDS Number: 37169-00002	Date of last issue: 10.02.2015 Date of first issue: 16.12.2014
		Application Rou Method: OECD Result: negative	Test Guideline 416
	pan-2-ol: cts on fertility	: Test Type: Two Species: Rat Application Rou Result: negative	
Effe mer	cts on foetal develop- it	: Test Type: Emb Species: Rat Application Rou Result: negative	
	OT - single exposure classified based on avail	able information.	
Pro	n ponents: pan-2-ol: essment: May cause dro	wsiness or dizziness.	
)T - repeated exposure classified based on avail	able information.	
Rep	eated dose toxicity		
Etha Spe NOA App	nponents: anol: cies: Rat AEL: 2,400 mg/kg lication Route: Ingestion osure time: 2 y		
Spe NO/ App Exp	pan-2-ol: cies: Rat AEL: 5000 ppm lication Route: inhalation osure time: 104 w hod: OECD Test Guidelir		
•	iration toxicity classified based on avail	able information.	
SECTIO	N 12. ECOLOGICAL INF	FORMATION	
Eco	toxicity		
Etha	nponents: anol: icity to fish	: LC50 (Pimepha Exposure time:	iles promelas (fathead minnow)): > 1,000 mg/l 96 h



PURELL® Hand Sanitizer Gel

Version 1.2	Revision Date: 24.05.2016		SDS Number: 169-00002	Date of last issue: 10.02.2015 Date of first issue: 16.12.2014
	ty to daphnia and other ic invertebrates	:	EC50 (Daphnia m Exposure time: 48	agna (Water flea)): > 1,000 mg/l 5 h
Toxici	ty to algae	:	EC50 (Chlorella v Exposure time: 72 Method: OECD Te	
	ic invertebrates (Chron-		NOEC (Daphnia n Exposure time: 9 d	nagna (Water flea)): 9.6 mg/l d
Toxici	ty to bacteria	:	EC50 (Photobacte Exposure time: 0.	erium phosphoreum): 32.1 mg/l 25 h
•	In-2-ol: ty to fish	:	LC50 (Pimephale: Exposure time: 96	s promelas (fathead minnow)): 10,000 mg/l S h
	ty to daphnia and other ic invertebrates	:	EC50 (Daphnia m Exposure time: 24	agna (Water flea)): > 10,000 mg/l h
Toxici	ty to algae	:	ErC50 (Scenedes mg/l Exposure time: 8 d	mus quadricauda (Green algae)): > 1,800 d
Toxici	ty to bacteria	:	EC50 (Pseudomo Exposure time: 16	nas putida): > 1,050 mg/l S h
Persi	stence and degradabili	ty		
<u>Produ</u>				
Biode	gradability	:	Result: Readily bi	odegradable
Comr	oonents:			
Ethan Biode	i ol: gradability	:	Result: Readily bio Biodegradation: 8 Exposure time: 20	34 %
-	ın-2-ol: gradability	:	Result: rapidly deg	gradable
Bioac	cumulative potential			
	oonents:			
	n ol: on coefficient: n- ol/water	:	log Pow: -0.35	
Partiti	n-2-ol: on coefficient: n- ol/water	:	log Pow: 0.05	



Version 1.2	Revision Date: 24.05.2016	MSDS Number: 37169-00002	Date of last issue: 10.02.2015 Date of first issue: 16.12.2014		
Mobi	lity in soil				
No da	ita available				
Othe	adverse effects				
No da	ıta available				
SECTION	13. DISPOSAL CONS	IDERATIONS			
Dispo	osal methods				
Waste	e from residues	: Dispose of in a	ccordance with local regulations.		
Conta	iminated packaging	 Dispose of as unused product. Empty containers should be taken to an approved waste ha dling site for recycling or disposal. Do not burn, or use a cutting torch on, the empty drum. 			

SECTION 14. TRANSPORT INFORMATION

International Regulation

UNRTDG UN number Proper shipping name Class Packing group Labels	 : UN 1987 : ALCOHOLS, N.O.S. (Ethanol, Propan-2-ol) : 3 : III : 3
IAT A-DGR UN/ID No. Proper shipping name	: UN 1987 : Alcohols, n.o.s. (Ethanol, Propan-2-ol)
Class Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passen-	: 3 : III : Flammable Liquids : 366 : 355
ger aircraft) IMDG-Code UN number Proper shipping name Class Packing group Labels EmS Code Marine pollutant	 : UN 1987 : ALCOHOLS, N.O.S. (Ethanol, Propan-2-ol) : 3 : III : 3 : F-E, S-D : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.



Version 1.2	Revision Date: 24.05.2016	MSDS Number: 37169-00002	Date of last issue: 10.02.2015 Date of first issue: 16.12.2014	
National Regulations				
•••••	umber er shipping name	: UN 1987 : ALCOHOLS, N.	O.S.	
Class Packi	ng group	(Ethanol, Propa : 3 : III	n-2-ol)	
Label		: 3 : •3Y		

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mix- ture			
Standard for the Uniform Scheduling of Medicines and Poisons	: No poison schedule nun	nber allocated	
Prohibition/Licensing Requirer	nents :	There is no applicable prohibition or notification/licensing requirements, including for carcinogens under Commonwealth, State or Territory legislation.	
The components of this product are reported in the following inventories:			
REACH	: All ingredients (pre-)reg	istered or exempt.	
TSCA		s in this material are included on or n the TSCA Inventory of Chemical	
DSL		in this product comply with the CEPA e on or exempt from listing on the ostances List (DSL).	
AICS	: All ingredients listed or e	exempt.	
Inventories			

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), NECSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION

Further information

Sources of key data used to :	Internal technical data, data from raw material SDSs, OECD
compile the Safety Data	eChem Portal search results and European Chemicals Agen-
Sheet	cy, http://echa.europa.eu/



Version 1.2	Revision Date: 24.05.2016	MSDS Number: 37169-00002	Date of last issue: 10.02.2015 Date of first issue: 16.12.2014
Date f	ormat	: dd.mm.yyyy	
Full text of other abbreviations			
ACGI	4	: USA. ACGIH T	hreshold Limit Values (TLV)
ACGI	H BEI		jical Exposure Indices (BEI)
AU OI	ΞL	: Australia. Work taminants.	place Exposure Standards for Airborne Con-
ACGI	H/TWA	: 8-hour, time-we	eighted average
ACGI	H/STEL	: Short-term exp	osure limit
	EL/TWA		dard - time weighted average
AU OI	EL / STEL	: Exposure stand	dard - short term exposure limit

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information pro- vided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, un- less specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN